



AQUATICA™

Digital

CANON LENS CHART

For Canon cameras

4" Dome port lens chart (#18411)

* Neoprene dome cover # 18508 included with port

Camera lens	EF to RF Adapter	Zoom Gear	Focus Gear	PORT EXTENSION
Canon EF 8-15mm f/4L USM FISHEYE	48474	49001	AF Only	48463
Canon EF 15mm f/2.8 Fisheye			*(2)	
Sigma 15mm f/2.8 EX DG Fisheye			*(3)	
Tokina AT-X 10-17mm f/3.5-4.5 AF DX Fisheye + 1.4x TC	48474	47831	AF Only	48453

OPTIONAL ACCESSORIES		
Removable DOME SHADE	DOME SHADE COVER	REAR PORT COVER
Included	Included	18790
Included	Included	18790

*(2) This lens does not focus close enough to be used with this dome port.

*(3) The protruding length of this lens shade prohibits using it with this dome port, damages could result to the internal surface of the dome lens

N/R = Not Required

6" Dome port lens chart (#18409)

* Neoprene dome cover # 18502 included with port

Camera lens	EF to RF Adapter	Zoom Gear	Focus Gear	PORT EXTENSION
Canon EF 15mm f/2.8 Fisheye	48474	N/R	48702	N/R
Canon EF 20mm f/2.8	48474	N/R	AF only	48456
Canon EF 24mm f/1.4L II USM	48474	N/R	49002	48456
Canon EF 8-15mm f/4L USM FISHEYE	48474	49001	AF only	48463
Sigma 8mm F3.5 EX DG Circular Fisheye	48474	N/R	AF only	48456
Sigma 10mm f/2.8 EX DC HSM Fisheye	48474	N/R	AF only	N/R
Sigma 15mm F2.8 EX DG FISHEYE	48474	N/R	18715	N/R
Tokina AT-X 10-17mm f/3.5-4.5 AF DX Fisheye + 1.4x TC	48474	48731	AF only	48456

OPTIONAL ACCESSORIES		
DOME SHADE	DOME SHADE COVER	REAR PORT COVER
18484	18504	18790
18484	18504	18790
18484	18504	18790
N/R	N/R	18790
N/R	N/R	18790
18484	18504	18790
18484	18504	18790
18484	18504	18790

*(1) There are multiple versions of this lens, please confirm that your lens fits this description

N/R = Not Required

Revised Dec.9, 2021

Note on lens compatibility:

Canon provides 3 types of sensors size, all of which have a direct impact on the field of view coverage of a specific lens, their lens lineup is also divided between EF type lenses that will work on all of their DSLR camera body and the EF-S type which are designed from the onset to work with 1:6 ratio type sensor, please make sure when selecting lenses that they are compatible with your camera model. If you have any question regarding a camera/lens compatibility, please contact your Canon dealer or contact us at info@aquatica.ca

Canon lens chart

8" Dome port lens chart (#18405)				
* Neoprene dome cover # 18500 included with port				
Camera lens	EF to RF Adapter	Zoom Gear	Focus Gear	Port Extension
Canon EF 14mm f/2.8 L TYPE II USM	48474	N/R	48771	48462
Canon EF 14mm f/2.8 L OLDER TYPE	48474	N/R	AF only	48453
Canon EF 15mm f/2.8 Fisheye	48474	N/R	48702	N/R
Canon EF 20mm f/2.8	48474	N/R	AF only	48456
Canon EF 24mm f/1.4L II USM	48474	N/R	49002	48456
Canon EF 8-15mm f/4L USM FISHEYE	48474	49001	AF only	48463
Canon EF 16-35mm f/2.8 L II USM	48474	48708	AF only	48457
Canon EF 16-35mm f/2.8 L II USM *(2)	48474	48708	19064 ⁽²⁾	48464 ⁽²⁾
Canon EF 16-35mm f/4L IS USM	48474	49009	AF Only	48459
Canon EF 16-35mm f/2.8 L III USM	48474	49104	AF Only	48454
Canon EF 17-40mm F/4L USM	48474	48708	AF only	48458
Canon EF 17-40mm F/4L USM *(2)	48474	48708	19065 ⁽²⁾	48465 ⁽²⁾
Canon EF 24-70mm f/2.8L USM Type II (newer type)	48474	49004	AF only	48458
Canon EF 24-105mm f/4L USM *(1)	48474	49005	AF only	48458
Sigma 8mm F3.5 EX DG Circular Fisheye	48474	N/R	AF only	48456
Sigma 14mm F2.8 EX ASPHERICAL HSM	48474	N/R	AF only	48462
Sigma 15mm F2.8 EX DG FISHEYE	48474	N/R	48715	N/R
Tokina AT-X 10-17mm f/3.5-4.5 AF DX Fisheye	48474	48717	AF only	48456

Dome Shade	Dome Shade Cover	Rear Port Cover
18480	18503.1	18790
18480	18503.1	18790
18480	18503.1	18790
18480	18503.1	18790
18480	18503.1	18790
N/R	N/R	18790
18480	18503.1	18790
18480	18503.1	18790
18480	18503.1	18790
18480	18503.1	18790
18480	18503.1	18790
18480	18503.1	18790
18480	18503.1	18790
18480	18503.1	18790
18480	18503.1	18790

*(1) This lens requires a + 3 diopter to focus on the virtual image of the dome
 *(2) This port extension has a manual focusing knob and requires a focus gear.

N/R = Not Required

Revised Dec.9, 2021

Note on lens compatibility:

Canon provides 3 types of sensors size, all of which have a direct impact on the field of view coverage of a specific lens, their lens lineup is also divided between EF type lenses that will work on all of their DSLR camera body and the EF-S type which are designed from the onset to work with 1:6 ratio type sensor, please make sure when selecting lenses that they are compatible with your camera model. If you have any question regarding a camera/lens compatibility, please contact your Canon dealer or contact us at info@aquatica.ca

AQUATICA™

Digital

9.25" Dome port lens chart (#18407)

* Neoprene dome cover # 18506 included with port

Camera lens	EF to RF Adapter	Zoom Gear	Focus Gear	Port Extension
Canon EF 14mm f/2.8 L TYPE II USM	48474	N/R	48771	48462
Canon EF 14mm f/2.8 L OLDER TYPE	48474	N/R	AF only	48453
Canon EF 15mm f/2.8 Fisheye	48474	N/R	48702	N/R
Canon EF 20mm f/2.8	48474	N/R	AF only	48456
Canon EF 24mm f/1.4L II USM	48474	N/R	49002	48456
Canon EF 8-15mm f/4L USM FISHEYE *(1)	48474	49001	AF only	48463
Canon EF 16-35mm f/4L IS USM	48474	49009	AF only	48459
Canon EF 16-35 mm f/2.8 L II USM	48474	48708	AF only	48457
Canon EF 16-35 mm f/2.8 L II USM *(2)	48474	48708	19064 ⁽²⁾	48464 ⁽²⁾
Canon EF 16-35mm f/2.8 L III USM	48474	49104	AF Only	48454
Canon EF 17-40mm F/4L USM	48474	48708	AF only	48458
Canon EF 17-40mm F/4L USM *(2)	48474	48708	19065 ⁽²⁾	48465 ⁽²⁾
Canon EF 24-70mm f/2.8L USM (older type) *(4)	48474	48723	AF only	48458
Canon EF 24-70mm f/2.8L USM Type II (newer type)	48474	49004	AF only	48458
Canon EF 24-105mm f/4L USM *(3)	48474	49005	AF only	48458
Sigma 14mm F2.8 EX ASPHERICAL HSM	48474	N/R	AF only	48462
Sigma 15mm F2.8 FISHEYE	48474	N/R	48715	N/R

Optional accessories

Dome Shade	Dome Shade Cover	Rear port Cover
INTEGRATED	18506 (included)	18790
		18790
		18790
		18790
		18790
		18790
		18790
		18790
		18790
		18790
		18790
		18790

*(1) This port has a built-in dome shade that prevents using the whole zoom range of this circular fisheye lens

*(2) This port extension has a manual focusing knob and requires a focus gear.

*(3) This lens requires a + 3 diopter to focus on the virtual image of the dome

*(4) Compatible with 5D Mk II (# 20062) housings only

Revised Dec.9, 2021

Note on lens compatibility:

Canon provides 3 types of sensors size, all of which have a direct impact on the field of view coverage of a specific lens, their lens lineup is also divided between EF type lenses that will work on all of their DSLR camera body and the EF-S type which are designed from the onset to work with 1:6 ratio type sensor, please make sure when selecting lenses that they are compatible with your camera model. If you have any question regarding a camera/lens compatibility, please contact your Canon dealer or contact us at info@aquatica.ca

AQUATICA™

Digital

Canon Lens chart

Mini Macro Port (#18432)			
* 77mm lens cap included with port	EF to RF	Focus	Port
Camera lens	Adapter	Gear	Extension
Canon EF-S 60mm f/2.8 USM	48474	49016	Not required
Canon EF 100mm f/2.8 USM	48474	49018	48456
Canon EF 100mm f/2.8L IS USM	48474	49015	48455

Optional Accessories		
77mm	Replacement	Rear
Cover	Lens	Cover
Included	18587	18790

Flip Holder for Mini Macro Port		
Single Flip Holder		19355
Double Flip Holder		19356
77mm to 67mm step down		19358
(+5) Wet Close Up lens		19352
(+10) Wet Close Up lens		19353

OPTIONAL ACCESSORIES		
Neoprene cover	Replacement Lens	Rear Cover
18508 (Included)	18582	18790

AF Low Profile Macro Port (#18429)			
* Neoprene cover # 18508 Included with port	EF to RF	Gear	Port
Camera lens	Adapter	Focus	Extension
Canon EF-S 60mm f/2.8 USM	48474	49016	Not Required
Canon EF 100mm f/2.8 USM	48474	49018	48458
Canon EF 100mm f/2.8L IS USM	48474	49015	48458

Updated Dec.9, 2021